

CO2吸収量表

地区名:佐野 樹種:スギ

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.04	0.04	0.04
2	0.32	0.30	0.24
3	0.93	0.83	0.59
4	1.82	1.59	1.06
5	2.91	2.50	1.60
6	4.14	3.51	2.19
7	5.43	4.55	2.79
8	6.73	5.59	3.38
9	7.99	6.58	3.96
10	9.18	7.52	4.51
11	15.82	11.30	6.78
12	14.69	10.17	6.78
13	14.69	11.30	7.91
14	14.69	11.30	6.78
15	14.69	9.04	5.65
16	14.69	10.17	6.78
17	14.69	10.17	6.78
18	14.69	11.30	6.78
19	13.56	11.30	6.78
20	13.56	10.17	5.65
21	10.62	7.08	4.43
22	10.62	7.97	6.20
23	9.74	7.97	5.31
24	9.74	7.97	6.20
25	9.74	7.97	5.31
26	9.74	7.08	6.20
27	9.74	7.97	4.43
28	9.74	7.97	4.43
29	9.74	7.08	6.20
30	8.85	7.08	5.31
31	9.74	6.20	5.31
32	8.85	7.08	5.31
33	8.85	7.08	4.43
34	7.97	6.20	4.43
35	7.97	5.31	5.31
36	7.08	6.20	5.31
37	7.08	5.31	4.43
38	7.08	6.20	4.43
39	6.20	6.20	4.43
40	6.20	4.43	4.43
41	6.20	5.31	4.43
42	5.31	4.43	3.54
43	4.43	5.31	3.54
44	4.43	4.43	3.54
45	4.43	3.54	3.54
46	4.43	3.54	4.43
47	4.43	4.43	3.54
48	4.43	3.54	2.66
49	3.54	3.54	3.54
50	3.54	3.54	3.54

51	3.54	3.54	2.66
52	2.66	2.66	3.54
53	2.66	2.66	2.66
54	2.66	2.66	2.66
55	2.66	2.66	2.66
56	2.66	2.66	3.54
57	2.66	2.66	1.77
58	2.66	1.77	2.66
59	1.77	2.66	1.77
60	1.77	1.77	2.66
61	1.77	1.77	1.77
62	1.77	1.77	1.77
63	1.77	1.77	2.66
64	1.77	1.77	1.77
65	0.89	0.89	1.77
66	0.89	0.89	1.77
67	0.89	0.89	0.89
68	0.89	0.89	0.89
69	0.89	0.89	0.89
70	0.89	0.89	0.89
71	0.89	0.89	0.89
72	0.89	0.89	0.89
73	0.89	0.89	0.89
74	0.89	0.89	0.89
75	0.89	0.89	0.89
76	0.89	0.89	0.89
77	0.89	0.89	0.89
78	0.89	0.89	0.89
79	0.89	0.89	0.89
80	0.89	0.89	0.89
81	0.89	0.89	0.89
82	0.89	0.89	0.00
83	0.89	0.89	0.00
84	0.89	0.00	0.00
85	0.89	0.00	0.00
86	0.89	0.00	0.00
87	0.89	0.00	0.00
88	0.89	0.00	0.00
89	0.89	0.00	0.00
90	0.89	0.00	0.00
91	0.89	0.00	0.00
92	0.89	0.00	0.00
93	0.89	0.00	0.00
94	0.89	0.00	0.00
95	0.89	0.00	0.00
96	0.00	0.00	0.00
97	0.00	0.00	0.00
98	0.00	0.00	0.00
99	0.00	0.00	0.00
100	0.00	0.00	0.00

CO2吸収量表

地区名:佐野 樹種:ヒノキ

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.14	0.10	0.09
2	0.67	0.49	0.42
3	1.40	1.06	0.88
4	2.22	1.72	1.40
5	3.08	2.42	1.95
6	3.94	3.14	2.50
7	4.78	3.83	3.02
8	5.58	4.50	3.52
9	6.33	5.12	3.99
10	7.03	5.70	4.41
11	7.29	4.37	1.46
12	5.83	4.37	2.91
13	7.29	4.37	1.46
14	7.29	5.83	2.91
15	14.57	8.74	4.37
16	13.12	8.74	4.37
17	13.12	8.74	5.83
18	14.57	8.74	4.37
19	13.12	8.74	4.37
20	14.57	10.20	5.83
21	10.49	8.16	3.50
22	10.49	8.16	4.66
23	11.66	6.99	4.66
24	11.66	8.16	4.66
25	11.66	8.16	4.66
26	10.49	5.83	4.66
27	6.99	6.99	4.66
28	8.16	8.16	5.83
29	8.16	6.99	4.66
30	5.83	5.83	4.66
31	5.83	5.83	5.83
32	6.99	4.66	5.83
33	5.83	5.83	4.66
34	5.83	5.83	5.83
35	5.83	5.83	5.83
36	5.83	4.66	4.66
37	5.83	5.83	3.50
38	5.83	4.66	4.66
39	5.83	4.66	4.66
40	5.83	4.66	3.50
41	4.66	3.50	4.66
42	4.66	4.66	3.50
43	4.66	3.50	3.50
44	4.66	4.66	3.50
45	4.66	3.50	4.66
46	4.66	4.66	3.50
47	4.66	3.50	2.33
48	4.66	3.50	3.50
49	4.66	4.66	2.33
50	4.66	3.50	3.50

51	4.66	4.66	3.50
52	4.66	3.50	2.33
53	4.66	3.50	3.50
54	3.50	3.50	2.33
55	3.50	3.50	3.50
56	3.50	3.50	3.50
57	3.50	3.50	2.33
58	3.50	2.33	2.33
59	3.50	3.50	2.33
60	3.50	2.33	3.50
61	3.50	2.33	2.33
62	2.33	3.50	2.33
63	2.33	2.33	2.33
64	2.33	2.33	1.17
65	2.33	2.33	1.17
66	2.33	1.17	1.17
67	2.33	1.17	1.17
68	2.33	1.17	1.17
69	2.33	1.17	1.17
70	2.33	1.17	1.17
71	2.33	1.17	1.17
72	2.33	1.17	1.17
73	2.33	1.17	1.17
74	2.33	1.17	1.17
75	2.33	0.00	1.17
76	2.33	0.00	1.17
77	2.33	0.00	1.17
78	2.33	0.00	1.17
79	2.33	0.00	1.17
80	2.33	0.00	1.17
81	2.33	0.00	1.17
82	2.33	0.00	1.17
83	2.33	0.00	1.17
84	2.33	0.00	1.17
85	1.17	0.00	1.17
86	1.17	0.00	1.17
87	1.17	0.00	1.17
88	1.17	0.00	1.17
89	1.17	0.00	1.17
90	1.17	0.00	1.17
91	1.17	0.00	1.17
92	1.17	0.00	1.17
93	1.17	0.00	0.00
94	1.17	0.00	0.00
95	1.17	0.00	0.00
96	1.17	0.00	0.00
97	1.17	0.00	0.00
98	1.17	0.00	0.00
99	1.17	0.00	0.00
100	1.17	0.00	1.17

CO2吸収量表

地区名:佐野 樹種:アカマツ

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.18	0.09	0.08
2	0.89	0.54	0.50
3	1.89	1.26	1.21
4	3.05	2.14	2.11
5	4.27	3.11	3.09
6	5.51	4.13	4.11
7	6.71	5.14	5.10
8	7.87	6.13	6.04
9	8.96	7.07	6.90
10	9.96	7.96	7.67
11	16.98	11.89	8.49
12	16.98	13.59	8.49
13	16.98	13.59	8.49
14	16.98	11.89	6.79
15	15.28	11.89	8.49
16	15.28	11.89	6.79
17	15.28	11.89	8.49
18	15.28	11.89	6.79
19	15.28	15.28	8.49
20	15.28	11.89	8.49
21	11.53	10.25	5.13
22	11.53	8.97	5.13
23	11.53	8.97	6.41
24	11.53	8.97	5.13
25	10.25	7.69	5.13
26	10.25	8.97	5.13
27	10.25	8.97	6.41
28	10.25	8.97	5.13
29	10.25	7.69	6.41
30	10.25	8.97	5.13
31	10.25	7.69	5.13
32	8.97	7.69	5.13
33	10.25	7.69	5.13
34	7.69	7.69	5.13
35	8.97	6.41	3.84
36	8.97	7.69	5.13
37	8.97	5.13	3.84
38	7.69	6.41	5.13
39	7.69	6.41	5.13
40	7.69	6.41	3.84
41	7.69	5.13	3.84
42	7.69	6.41	5.13
43	6.41	5.13	3.84
44	6.41	5.13	3.84
45	6.41	6.41	3.84
46	6.41	5.13	3.84
47	6.41	5.13	3.84
48	6.41	5.13	3.84
49	6.41	5.13	3.84
50	5.13	5.13	2.56

51	5.13	5.13	2.56
52	5.13	3.84	3.84
53	5.13	3.84	3.84
54	5.13	3.84	2.56
55	5.13	3.84	3.84
56	5.13	3.84	2.56
57	5.13	3.84	3.84
58	5.13	3.84	2.56
59	5.13	3.84	2.56
60	5.13	3.84	3.84
61	5.13	3.84	2.56
62	5.13	3.84	2.56
63	5.13	3.84	2.56
64	3.84	3.84	2.56
65	3.84	2.56	2.56
66	3.84	2.56	1.28
67	3.84	2.56	1.28
68	3.84	2.56	1.28
69	2.56	2.56	1.28
70	2.56	2.56	1.28
71	2.56	2.56	1.28
72	2.56	1.28	1.28
73	2.56	1.28	1.28
74	2.56	1.28	1.28
75	2.56	1.28	1.28
76	2.56	1.28	1.28
77	2.56	1.28	1.28
78	2.56	1.28	0.00
79	2.56	1.28	0.00
80	2.56	1.28	0.00
81	2.56	1.28	0.00
82	2.56	1.28	0.00
83	2.56	1.28	0.00
84	2.56	1.28	0.00
85	2.56	1.28	0.00
86	2.56	1.28	0.00
87	1.28	1.28	0.00
88	1.28	1.28	0.00
89	1.28	1.28	0.00
90	1.28	1.28	0.00
91	1.28	1.28	0.00
92	1.28	1.28	0.00
93	1.28	0.00	0.00
94	1.28	0.00	0.00
95	1.28	0.00	0.00
96	1.28	0.00	0.00
97	1.28	0.00	0.00
98	1.28	0.00	0.00
99	1.28	0.00	0.00
100	1.28	0.00	0.00

CO2吸収量表

地区名:佐野 樹種:カラマツ

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.01	0.00	0.00
2	0.14	0.06	0.05
3	0.46	0.26	0.18
4	0.99	0.64	0.44
5	1.70	1.22	0.81
6	2.55	1.97	1.28
7	3.49	2.84	1.83
8	4.48	3.78	2.42
9	5.49	4.75	3.03
10	6.48	5.70	3.63
11	12.90	10.03	5.73
12	11.47	10.03	4.30
13	12.90	10.03	5.73
14	12.90	11.47	5.73
15	12.90	10.03	5.73
16	14.33	11.47	7.17
17	12.90	11.47	5.73
18	12.90	10.03	5.73
19	14.33	10.03	7.17
20	12.90	10.03	7.17
21	8.79	7.69	4.40
22	9.89	8.79	5.49
23	9.89	7.69	5.49
24	9.89	7.69	5.49
25	8.79	5.49	4.40
26	7.69	5.49	4.40
27	8.79	4.40	4.40
28	8.79	5.49	4.40
29	8.79	5.49	4.40
30	5.49	3.30	3.30
31	5.49	3.30	3.30
32	6.59	3.30	3.30
33	5.49	3.30	3.30
34	5.49	3.30	3.30
35	3.30	2.20	2.20
36	4.40	3.30	2.20
37	3.30	3.30	2.20
38	4.40	2.20	3.30
39	3.30	3.30	2.20
40	3.30	3.30	2.20
41	3.30	2.20	3.30
42	3.30	3.30	2.20
43	3.30	2.20	3.30
44	3.30	3.30	2.20
45	3.30	2.20	2.20
46	3.30	2.20	2.20
47	3.30	2.20	1.10
48	3.30	3.30	2.20
49	3.30	2.20	2.20
50	2.20	2.20	1.10

51	3.30	1.10	1.10
52	2.20	2.20	1.10
53	3.30	1.10	1.10
54	2.20	2.20	1.10
55	2.20	1.10	1.10
56	2.20	1.10	1.10
57	2.20	1.10	1.10
58	2.20	1.10	1.10
59	2.20	1.10	1.10
60	2.20	1.10	1.10
61	2.20	1.10	1.10
62	2.20	1.10	1.10
63	2.20	1.10	1.10
64	2.20	1.10	1.10
65	2.20	1.10	1.10
66	2.20	1.10	1.10
67	2.20	1.10	1.10
68	2.20	1.10	1.10
69	2.20	1.10	1.10
70	2.20	1.10	1.10
71	1.10	1.10	0.00
72	1.10	0.00	0.00
73	1.10	0.00	0.00
74	1.10	0.00	0.00
75	1.10	0.00	0.00
76	1.10	0.00	0.00
77	1.10	0.00	0.00
78	1.10	0.00	0.00
79	1.10	0.00	0.00
80	1.10	0.00	0.00
81	1.10	0.00	0.00
82	1.10	0.00	0.00
83	1.10	0.00	0.00
84	1.10	0.00	0.00
85	1.10	0.00	0.00
86	1.10	0.00	0.00
87	1.10	0.00	0.00
88	1.10	0.00	0.00
89	1.10	0.00	0.00
90	0.00	0.00	0.00
91	0.00	0.00	0.00
92	0.00	0.00	0.00
93	0.00	0.00	0.00
94	0.00	0.00	0.00
95	0.00	0.00	0.00
96	0.00	0.00	0.00
97	0.00	0.00	0.00
98	0.00	0.00	0.00
99	0.00	0.00	0.00
100	0.00	0.00	0.00

CO2吸収量表

地区名:佐野 樹種:その他針葉樹

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.13	0.13	0.13
2	0.44	0.44	0.44
3	0.77	0.77	0.77
4	1.11	1.11	1.11
5	1.44	1.44	1.44
6	1.76	1.76	1.76
7	2.07	2.07	2.07
8	2.37	2.37	2.37
9	2.65	2.65	2.65
10	2.92	2.92	2.92
11	2.21	2.21	2.21
12	2.21	2.21	2.21
13	2.21	2.21	2.21
14	4.41	4.41	4.41
15	4.41	4.41	4.41
16	4.41	4.41	4.41
17	4.41	4.41	4.41
18	4.41	4.41	4.41
19	4.41	4.41	4.41
20	4.41	4.41	4.41
21	2.28	2.28	2.28
22	2.28	2.28	2.28
23	2.28	2.28	2.28
24	2.28	2.28	2.28
25	2.28	2.28	2.28
26	3.42	3.42	3.42
27	2.28	2.28	2.28
28	2.28	2.28	2.28
29	3.42	3.42	3.42
30	2.28	2.28	2.28
31	3.42	3.42	3.42
32	3.42	3.42	3.42
33	2.28	2.28	2.28
34	3.42	3.42	3.42
35	2.28	2.28	2.28
36	3.42	3.42	3.42
37	3.42	3.42	3.42
38	3.42	3.42	3.42
39	3.42	3.42	3.42
40	3.42	3.42	3.42
41	3.42	3.42	3.42
42	3.42	3.42	3.42
43	3.42	3.42	3.42
44	3.42	3.42	3.42
45	2.28	2.28	2.28
46	3.42	3.42	3.42
47	3.42	3.42	3.42
48	2.28	2.28	2.28
49	3.42	3.42	3.42
50	2.28	2.28	2.28

51	3.42	3.42	3.42
52	3.42	3.42	3.42
53	2.28	2.28	2.28
54	3.42	3.42	3.42
55	2.28	2.28	2.28
56	3.42	3.42	3.42
57	2.28	2.28	2.28
58	3.42	3.42	3.42
59	2.28	2.28	2.28
60	2.28	2.28	2.28
61	3.42	3.42	3.42
62	2.28	2.28	2.28
63	2.28	2.28	2.28
64	2.28	2.28	2.28
65	2.28	2.28	2.28
66	2.28	2.28	2.28
67	2.28	2.28	2.28
68	2.28	2.28	2.28
69	2.28	2.28	2.28
70	2.28	2.28	2.28
71	2.28	2.28	2.28
72	2.28	2.28	2.28
73	2.28	2.28	2.28
74	1.14	1.14	1.14
75	2.28	2.28	2.28
76	2.28	2.28	2.28
77	1.14	1.14	1.14
78	2.28	2.28	2.28
79	1.14	1.14	1.14
80	2.28	2.28	2.28
81	2.28	2.28	2.28
82	1.14	1.14	1.14
83	2.28	2.28	2.28
84	1.14	1.14	1.14
85	2.28	2.28	2.28
86	1.14	1.14	1.14
87	1.14	1.14	1.14
88	2.28	2.28	2.28
89	1.14	1.14	1.14
90	1.14	1.14	1.14
91	1.14	1.14	1.14
92	1.14	1.14	1.14
93	1.14	1.14	1.14
94	2.28	2.28	2.28
95	1.14	1.14	1.14
96	1.14	1.14	1.14
97	1.14	1.14	1.14
98	2.28	2.28	2.28
99	1.14	1.14	1.14
100	1.14	1.14	1.14

CO2吸収量表

地区名: 佐野 樹種: ナラ類

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	1.65	1.65	1.65
2	4.53	4.53	4.53
3	6.76	6.76	6.76
4	8.44	8.44	8.44
5	9.67	9.67	9.67
6	10.09	10.09	10.09
7	10.09	10.09	10.09
8	8.07	8.07	8.07
9	8.07	8.07	8.07
10	8.07	8.07	8.07
11	8.07	8.07	8.07
12	8.07	8.07	8.07
13	8.07	8.07	8.07
14	8.07	8.07	8.07
15	8.07	8.07	8.07
16	8.07	8.07	8.07
17	8.07	8.07	8.07
18	8.07	8.07	8.07
19	8.07	8.07	8.07
20	6.05	6.05	6.05
21	5.45	5.45	5.45
22	5.45	5.45	5.45
23	5.45	5.45	5.45
24	5.45	5.45	5.45
25	5.45	5.45	5.45
26	5.45	5.45	5.45
27	5.45	5.45	5.45
28	5.45	5.45	5.45
29	5.45	5.45	5.45
30	5.45	5.45	5.45
31	5.45	5.45	5.45
32	5.45	5.45	5.45
33	5.45	5.45	5.45
34	3.63	3.63	3.63
35	3.63	3.63	3.63
36	3.63	3.63	3.63
37	3.63	3.63	3.63
38	3.63	3.63	3.63
39	3.63	3.63	3.63
40	1.82	1.82	1.82
41	1.82	1.82	1.82
42	1.82	1.82	1.82
43	1.82	1.82	1.82
44	1.82	1.82	1.82
45	1.82	1.82	1.82
46	1.82	1.82	1.82
47	1.82	1.82	1.82
48	1.82	1.82	1.82
49	1.82	1.82	1.82
50	1.82	1.82	1.82

51	1.37	1.37	1.37
52	1.29	1.29	1.29
53	1.21	1.21	1.21
54	1.14	1.14	1.14
55	1.07	1.07	1.07
56	1.01	1.01	1.01
57	0.95	0.95	0.95
58	0.89	0.89	0.89
59	0.83	0.83	0.83
60	0.78	0.78	0.78
61	0.74	0.74	0.74
62	0.69	0.69	0.69
63	0.65	0.65	0.65
64	0.61	0.61	0.61
65	0.57	0.57	0.57
66	0.54	0.54	0.54
67	0.51	0.51	0.51
68	0.47	0.47	0.47
69	0.45	0.45	0.45
70	0.42	0.42	0.42
71	0.39	0.39	0.39
72	0.37	0.37	0.37
73	0.35	0.35	0.35
74	0.32	0.32	0.32
75	0.30	0.30	0.30
76	0.29	0.29	0.29
77	0.27	0.27	0.27
78	0.25	0.25	0.25
79	0.24	0.24	0.24
80	0.22	0.22	0.22
81	0.21	0.21	0.21
82	0.20	0.20	0.20
83	0.18	0.18	0.18
84	0.17	0.17	0.17
85	0.16	0.16	0.16
86	0.15	0.15	0.15
87	0.14	0.14	0.14
88	0.13	0.13	0.13
89	0.12	0.12	0.12
90	0.12	0.12	0.12
91	0.11	0.11	0.11
92	0.10	0.10	0.10
93	0.10	0.10	0.10
94	0.09	0.09	0.09
95	0.09	0.09	0.09
96	0.08	0.08	0.08
97	0.08	0.08	0.08
98	0.07	0.07	0.07
99	0.07	0.07	0.07
100	0.06	0.06	0.06

CO2吸収量表

地区名:佐野 樹種:クヌギ

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	1.72	1.72	1.72
2	4.71	4.71	4.71
3	7.03	7.03	7.03
4	8.78	8.78	8.78
5	10.05	10.05	10.05
6	10.49	10.49	10.49
7	10.49	10.49	10.49
8	8.39	8.39	8.39
9	8.39	8.39	8.39
10	8.39	8.39	8.39
11	8.39	8.39	8.39
12	8.39	8.39	8.39
13	8.39	8.39	8.39
14	8.39	8.39	8.39
15	8.39	8.39	8.39
16	8.39	8.39	8.39
17	8.39	8.39	8.39
18	8.39	8.39	8.39
19	8.39	8.39	8.39
20	6.30	6.30	6.30
21	6.11	6.11	6.11
22	6.11	6.11	6.11
23	6.11	6.11	6.11
24	6.11	6.11	6.11
25	6.11	6.11	6.11
26	6.11	6.11	6.11
27	6.11	6.11	6.11
28	6.11	6.11	6.11
29	6.11	6.11	6.11
30	6.11	6.11	6.11
31	6.11	6.11	6.11
32	6.11	6.11	6.11
33	6.11	6.11	6.11
34	4.07	4.07	4.07
35	4.07	4.07	4.07
36	4.07	4.07	4.07
37	4.07	4.07	4.07
38	4.07	4.07	4.07
39	4.07	4.07	4.07
40	2.04	2.04	2.04
41	2.04	2.04	2.04
42	2.04	2.04	2.04
43	2.04	2.04	2.04
44	2.04	2.04	2.04
45	2.04	2.04	2.04
46	2.04	2.04	2.04
47	2.04	2.04	2.04
48	2.04	2.04	2.04
49	2.04	2.04	2.04
50	2.04	2.04	2.04

51	1.54	1.54	1.54
52	1.45	1.45	1.45
53	1.36	1.36	1.36
54	1.28	1.28	1.28
55	1.20	1.20	1.20
56	1.13	1.13	1.13
57	1.06	1.06	1.06
58	1.00	1.00	1.00
59	0.94	0.94	0.94
60	0.88	0.88	0.88
61	0.83	0.83	0.83
62	0.78	0.78	0.78
63	0.73	0.73	0.73
64	0.68	0.68	0.68
65	0.64	0.64	0.64
66	0.60	0.60	0.60
67	0.57	0.57	0.57
68	0.53	0.53	0.53
69	0.50	0.50	0.50
70	0.47	0.47	0.47
71	0.44	0.44	0.44
72	0.41	0.41	0.41
73	0.39	0.39	0.39
74	0.36	0.36	0.36
75	0.34	0.34	0.34
76	0.32	0.32	0.32
77	0.30	0.30	0.30
78	0.28	0.28	0.28
79	0.27	0.27	0.27
80	0.25	0.25	0.25
81	0.23	0.23	0.23
82	0.22	0.22	0.22
83	0.21	0.21	0.21
84	0.19	0.19	0.19
85	0.18	0.18	0.18
86	0.17	0.17	0.17
87	0.16	0.16	0.16
88	0.15	0.15	0.15
89	0.14	0.14	0.14
90	0.13	0.13	0.13
91	0.12	0.12	0.12
92	0.12	0.12	0.12
93	0.11	0.11	0.11
94	0.10	0.10	0.10
95	0.10	0.10	0.10
96	0.09	0.09	0.09
97	0.08	0.08	0.08
98	0.08	0.08	0.08
99	0.07	0.07	0.07
100	0.07	0.07	0.07

CO2吸収量表

地区名:佐野 樹種:クリ

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.42	0.42	0.42
2	1.31	1.31	1.31
3	2.16	2.16	2.16
4	2.90	2.90	2.90
5	3.55	3.55	3.55
6	6.44	6.44	6.44
7	6.44	6.44	6.44
8	6.44	6.44	6.44
9	6.44	6.44	6.44
10	5.15	5.15	5.15
11	5.15	5.15	5.15
12	5.15	5.15	5.15
13	5.15	5.15	5.15
14	5.15	5.15	5.15
15	5.15	5.15	5.15
16	5.15	5.15	5.15
17	5.15	5.15	5.15
18	5.15	5.15	5.15
19	5.15	5.15	5.15
20	5.15	5.15	5.15
21	4.57	4.57	4.57
22	3.43	3.43	3.43
23	3.43	3.43	3.43
24	3.43	3.43	3.43
25	3.43	3.43	3.43
26	3.43	3.43	3.43
27	3.43	3.43	3.43
28	3.43	3.43	3.43
29	3.43	3.43	3.43
30	3.43	3.43	3.43
31	3.43	3.43	3.43
32	3.43	3.43	3.43
33	3.43	3.43	3.43
34	3.43	3.43	3.43
35	3.43	3.43	3.43
36	2.28	2.28	2.28
37	2.28	2.28	2.28
38	2.28	2.28	2.28
39	2.28	2.28	2.28
40	2.28	2.28	2.28
41	2.28	2.28	2.28
42	2.28	2.28	2.28
43	2.28	2.28	2.28
44	2.28	2.28	2.28
45	2.28	2.28	2.28
46	2.28	2.28	2.28
47	1.14	1.14	1.14
48	1.14	1.14	1.14
49	1.14	1.14	1.14
50	1.14	1.14	1.14

51	1.14	1.14	1.14
52	1.14	1.14	1.14
53	1.14	1.14	1.14
54	1.14	1.14	1.14
55	1.14	1.14	1.14
56	1.14	1.14	1.14
57	1.14	1.14	1.14
58	1.14	1.14	1.14
59	1.14	1.14	1.14
60	1.14	1.14	1.14
61	1.14	1.14	1.14
62	1.14	1.14	1.14
63	1.14	1.14	1.14
64	0.00	0.00	0.00
65	0.00	0.00	0.00
66	0.00	0.00	0.00
67	0.00	0.00	0.00
68	0.00	0.00	0.00
69	0.00	0.00	0.00
70	0.00	0.00	0.00
71	0.00	0.00	0.00
72	0.00	0.00	0.00
73	0.00	0.00	0.00
74	0.00	0.00	0.00
75	0.00	0.00	0.00
76	0.00	0.00	0.00
77	0.00	0.00	0.00
78	0.00	0.00	0.00
79	0.00	0.00	0.00
80	0.00	0.00	0.00
81	0.00	0.00	0.00
82	0.00	0.00	0.00
83	0.00	0.00	0.00
84	0.00	0.00	0.00
85	0.00	0.00	0.00
86	0.00	0.00	0.00
87	0.00	0.00	0.00
88	0.00	0.00	0.00
89	0.00	0.00	0.00
90	0.00	0.00	0.00
91	0.00	0.00	0.00
92	0.00	0.00	0.00
93	0.00	0.00	0.00
94	0.00	0.00	0.00
95	0.00	0.00	0.00
96	0.00	0.00	0.00
97	0.00	0.00	0.00
98	0.00	0.00	0.00
99	0.00	0.00	0.00
100	0.00	0.00	0.00

CO2吸収量表

地区名:佐野 樹種:ハンノキ類

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.45	0.45	0.45
2	1.42	1.42	1.42
3	2.34	2.34	2.34
4	3.15	3.15	3.15
5	3.84	3.84	3.84
6	6.97	6.97	6.97
7	6.97	6.97	6.97
8	6.97	6.97	6.97
9	6.97	6.97	6.97
10	5.58	5.58	5.58
11	5.58	5.58	5.58
12	5.58	5.58	5.58
13	5.58	5.58	5.58
14	5.58	5.58	5.58
15	5.58	5.58	5.58
16	5.58	5.58	5.58
17	5.58	5.58	5.58
18	5.58	5.58	5.58
19	5.58	5.58	5.58
20	5.58	5.58	5.58
21	5.24	5.24	5.24
22	3.93	3.93	3.93
23	3.93	3.93	3.93
24	3.93	3.93	3.93
25	3.93	3.93	3.93
26	3.93	3.93	3.93
27	3.93	3.93	3.93
28	3.93	3.93	3.93
29	3.93	3.93	3.93
30	3.93	3.93	3.93
31	3.93	3.93	3.93
32	3.93	3.93	3.93
33	3.93	3.93	3.93
34	3.93	3.93	3.93
35	3.93	3.93	3.93
36	2.62	2.62	2.62
37	2.62	2.62	2.62
38	2.62	2.62	2.62
39	2.62	2.62	2.62
40	2.62	2.62	2.62
41	2.62	2.62	2.62
42	2.62	2.62	2.62
43	2.62	2.62	2.62
44	2.62	2.62	2.62
45	2.62	2.62	2.62
46	2.62	2.62	2.62
47	1.31	1.31	1.31
48	1.31	1.31	1.31
49	1.31	1.31	1.31
50	1.31	1.31	1.31

51	1.31	1.31	1.31
52	1.31	1.31	1.31
53	1.31	1.31	1.31
54	1.31	1.31	1.31
55	1.31	1.31	1.31
56	1.31	1.31	1.31
57	1.31	1.31	1.31
58	1.31	1.31	1.31
59	1.31	1.31	1.31
60	1.31	1.31	1.31
61	1.31	1.31	1.31
62	1.31	1.31	1.31
63	1.31	1.31	1.31
64	0.00	0.00	0.00
65	0.00	0.00	0.00
66	0.00	0.00	0.00
67	0.00	0.00	0.00
68	0.00	0.00	0.00
69	0.00	0.00	0.00
70	0.00	0.00	0.00
71	0.00	0.00	0.00
72	0.00	0.00	0.00
73	0.00	0.00	0.00
74	0.00	0.00	0.00
75	0.00	0.00	0.00
76	0.00	0.00	0.00
77	0.00	0.00	0.00
78	0.00	0.00	0.00
79	0.00	0.00	0.00
80	0.00	0.00	0.00
81	0.00	0.00	0.00
82	0.00	0.00	0.00
83	0.00	0.00	0.00
84	0.00	0.00	0.00
85	0.00	0.00	0.00
86	0.00	0.00	0.00
87	0.00	0.00	0.00
88	0.00	0.00	0.00
89	0.00	0.00	0.00
90	0.00	0.00	0.00
91	0.00	0.00	0.00
92	0.00	0.00	0.00
93	0.00	0.00	0.00
94	0.00	0.00	0.00
95	0.00	0.00	0.00
96	0.00	0.00	0.00
97	0.00	0.00	0.00
98	0.00	0.00	0.00
99	0.00	0.00	0.00
100	0.00	0.00	0.00

CO2吸収量表

地区名:佐野 樹種:カンバ類

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.46	0.46	0.46
2	1.45	1.45	1.45
3	2.37	2.37	2.37
4	3.19	3.19	3.19
5	3.90	3.90	3.90
6	7.08	7.08	7.08
7	7.08	7.08	7.08
8	7.08	7.08	7.08
9	7.08	7.08	7.08
10	5.66	5.66	5.66
11	5.66	5.66	5.66
12	5.66	5.66	5.66
13	5.66	5.66	5.66
14	5.66	5.66	5.66
15	5.66	5.66	5.66
16	5.66	5.66	5.66
17	5.66	5.66	5.66
18	5.66	5.66	5.66
19	5.66	5.66	5.66
20	5.66	5.66	5.66
21	5.19	5.19	5.19
22	3.89	3.89	3.89
23	3.89	3.89	3.89
24	3.89	3.89	3.89
25	3.89	3.89	3.89
26	3.89	3.89	3.89
27	3.89	3.89	3.89
28	3.89	3.89	3.89
29	3.89	3.89	3.89
30	3.89	3.89	3.89
31	3.89	3.89	3.89
32	3.89	3.89	3.89
33	3.89	3.89	3.89
34	3.89	3.89	3.89
35	3.89	3.89	3.89
36	2.59	2.59	2.59
37	2.59	2.59	2.59
38	2.59	2.59	2.59
39	2.59	2.59	2.59
40	2.59	2.59	2.59
41	2.59	2.59	2.59
42	2.59	2.59	2.59
43	2.59	2.59	2.59
44	2.59	2.59	2.59
45	2.59	2.59	2.59
46	2.59	2.59	2.59
47	1.30	1.30	1.30
48	1.30	1.30	1.30
49	1.30	1.30	1.30
50	1.30	1.30	1.30

51	1.30	1.30	1.30
52	1.30	1.30	1.30
53	1.30	1.30	1.30
54	1.30	1.30	1.30
55	1.30	1.30	1.30
56	1.30	1.30	1.30
57	1.30	1.30	1.30
58	1.30	1.30	1.30
59	1.30	1.30	1.30
60	1.30	1.30	1.30
61	1.30	1.30	1.30
62	1.30	1.30	1.30
63	1.30	1.30	1.30
64	0.00	0.00	0.00
65	0.00	0.00	0.00
66	0.00	0.00	0.00
67	0.00	0.00	0.00
68	0.00	0.00	0.00
69	0.00	0.00	0.00
70	0.00	0.00	0.00
71	0.00	0.00	0.00
72	0.00	0.00	0.00
73	0.00	0.00	0.00
74	0.00	0.00	0.00
75	0.00	0.00	0.00
76	0.00	0.00	0.00
77	0.00	0.00	0.00
78	0.00	0.00	0.00
79	0.00	0.00	0.00
80	0.00	0.00	0.00
81	0.00	0.00	0.00
82	0.00	0.00	0.00
83	0.00	0.00	0.00
84	0.00	0.00	0.00
85	0.00	0.00	0.00
86	0.00	0.00	0.00
87	0.00	0.00	0.00
88	0.00	0.00	0.00
89	0.00	0.00	0.00
90	0.00	0.00	0.00
91	0.00	0.00	0.00
92	0.00	0.00	0.00
93	0.00	0.00	0.00
94	0.00	0.00	0.00
95	0.00	0.00	0.00
96	0.00	0.00	0.00
97	0.00	0.00	0.00
98	0.00	0.00	0.00
99	0.00	0.00	0.00
100	0.00	0.00	0.00

CO2吸収量表

地区名:佐野 樹種:カシ類

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.73	0.73	0.73
2	2.32	2.32	2.32
3	3.80	3.80	3.80
4	5.11	5.11	5.11
5	6.25	6.25	6.25
6	11.34	11.34	11.34
7	11.34	11.34	11.34
8	11.34	11.34	11.34
9	11.34	11.34	11.34
10	9.07	9.07	9.07
11	9.07	9.07	9.07
12	9.07	9.07	9.07
13	9.07	9.07	9.07
14	9.07	9.07	9.07
15	9.07	9.07	9.07
16	9.07	9.07	9.07
17	9.07	9.07	9.07
18	9.07	9.07	9.07
19	9.07	9.07	9.07
20	9.07	9.07	9.07
21	7.94	7.94	7.94
22	5.95	5.95	5.95
23	5.95	5.95	5.95
24	5.95	5.95	5.95
25	5.95	5.95	5.95
26	5.95	5.95	5.95
27	5.95	5.95	5.95
28	5.95	5.95	5.95
29	5.95	5.95	5.95
30	5.95	5.95	5.95
31	5.95	5.95	5.95
32	5.95	5.95	5.95
33	5.95	5.95	5.95
34	5.95	5.95	5.95
35	5.95	5.95	5.95
36	3.97	3.97	3.97
37	3.97	3.97	3.97
38	3.97	3.97	3.97
39	3.97	3.97	3.97
40	3.97	3.97	3.97
41	3.97	3.97	3.97
42	3.97	3.97	3.97
43	3.97	3.97	3.97
44	3.97	3.97	3.97
45	3.97	3.97	3.97
46	3.97	3.97	3.97
47	1.98	1.98	1.98
48	1.98	1.98	1.98
49	1.98	1.98	1.98
50	1.98	1.98	1.98

51	1.98	1.98	1.98
52	1.98	1.98	1.98
53	1.98	1.98	1.98
54	1.98	1.98	1.98
55	1.98	1.98	1.98
56	1.98	1.98	1.98
57	1.98	1.98	1.98
58	1.98	1.98	1.98
59	1.98	1.98	1.98
60	1.98	1.98	1.98
61	1.98	1.98	1.98
62	1.98	1.98	1.98
63	1.98	1.98	1.98
64	0.00	0.00	0.00
65	0.00	0.00	0.00
66	0.00	0.00	0.00
67	0.00	0.00	0.00
68	0.00	0.00	0.00
69	0.00	0.00	0.00
70	0.00	0.00	0.00
71	0.00	0.00	0.00
72	0.00	0.00	0.00
73	0.00	0.00	0.00
74	0.00	0.00	0.00
75	0.00	0.00	0.00
76	0.00	0.00	0.00
77	0.00	0.00	0.00
78	0.00	0.00	0.00
79	0.00	0.00	0.00
80	0.00	0.00	0.00
81	0.00	0.00	0.00
82	0.00	0.00	0.00
83	0.00	0.00	0.00
84	0.00	0.00	0.00
85	0.00	0.00	0.00
86	0.00	0.00	0.00
87	0.00	0.00	0.00
88	0.00	0.00	0.00
89	0.00	0.00	0.00
90	0.00	0.00	0.00
91	0.00	0.00	0.00
92	0.00	0.00	0.00
93	0.00	0.00	0.00
94	0.00	0.00	0.00
95	0.00	0.00	0.00
96	0.00	0.00	0.00
97	0.00	0.00	0.00
98	0.00	0.00	0.00
99	0.00	0.00	0.00
100	0.00	0.00	0.00

CO2吸収量表

地区名:佐野 樹種:ブナ

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.68	0.68	0.68
2	2.14	2.14	2.14
3	3.50	3.50	3.50
4	4.72	4.72	4.72
5	5.76	5.76	5.76
6	10.46	10.46	10.46
7	10.46	10.46	10.46
8	10.46	10.46	10.46
9	10.46	10.46	10.46
10	8.37	8.37	8.37
11	8.37	8.37	8.37
12	8.37	8.37	8.37
13	8.37	8.37	8.37
14	8.37	8.37	8.37
15	8.37	8.37	8.37
16	8.37	8.37	8.37
17	8.37	8.37	8.37
18	8.37	8.37	8.37
19	8.37	8.37	8.37
20	8.37	8.37	8.37
21	6.99	6.99	6.99
22	5.24	5.24	5.24
23	5.24	5.24	5.24
24	5.24	5.24	5.24
25	5.24	5.24	5.24
26	5.24	5.24	5.24
27	5.24	5.24	5.24
28	5.24	5.24	5.24
29	5.24	5.24	5.24
30	5.24	5.24	5.24
31	5.24	5.24	5.24
32	5.24	5.24	5.24
33	5.24	5.24	5.24
34	5.24	5.24	5.24
35	5.24	5.24	5.24
36	3.49	3.49	3.49
37	3.49	3.49	3.49
38	3.49	3.49	3.49
39	3.49	3.49	3.49
40	3.49	3.49	3.49
41	3.49	3.49	3.49
42	3.49	3.49	3.49
43	3.49	3.49	3.49
44	3.49	3.49	3.49
45	3.49	3.49	3.49
46	3.49	3.49	3.49
47	1.75	1.75	1.75
48	1.75	1.75	1.75
49	1.75	1.75	1.75
50	1.75	1.75	1.75

51	1.75	1.75	1.75
52	1.75	1.75	1.75
53	1.75	1.75	1.75
54	1.75	1.75	1.75
55	1.75	1.75	1.75
56	1.75	1.75	1.75
57	1.75	1.75	1.75
58	1.75	1.75	1.75
59	1.75	1.75	1.75
60	1.75	1.75	1.75
61	1.75	1.75	1.75
62	1.75	1.75	1.75
63	1.75	1.75	1.75
64	0.00	0.00	0.00
65	0.00	0.00	0.00
66	0.00	0.00	0.00
67	0.00	0.00	0.00
68	0.00	0.00	0.00
69	0.00	0.00	0.00
70	0.00	0.00	0.00
71	0.00	0.00	0.00
72	0.00	0.00	0.00
73	0.00	0.00	0.00
74	0.00	0.00	0.00
75	0.00	0.00	0.00
76	0.00	0.00	0.00
77	0.00	0.00	0.00
78	0.00	0.00	0.00
79	0.00	0.00	0.00
80	0.00	0.00	0.00
81	0.00	0.00	0.00
82	0.00	0.00	0.00
83	0.00	0.00	0.00
84	0.00	0.00	0.00
85	0.00	0.00	0.00
86	0.00	0.00	0.00
87	0.00	0.00	0.00
88	0.00	0.00	0.00
89	0.00	0.00	0.00
90	0.00	0.00	0.00
91	0.00	0.00	0.00
92	0.00	0.00	0.00
93	0.00	0.00	0.00
94	0.00	0.00	0.00
95	0.00	0.00	0.00
96	0.00	0.00	0.00
97	0.00	0.00	0.00
98	0.00	0.00	0.00
99	0.00	0.00	0.00
100	0.00	0.00	0.00

CO2吸収量表

地区名:佐野 樹種:ケヤキ

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.72	0.72	0.72
2	2.28	2.28	2.28
3	3.74	3.74	3.74
4	5.03	5.03	5.03
5	6.14	6.14	6.14
6	11.15	11.15	11.15
7	11.15	11.15	11.15
8	11.15	11.15	11.15
9	11.15	11.15	11.15
10	8.92	8.92	8.92
11	8.92	8.92	8.92
12	8.92	8.92	8.92
13	8.92	8.92	8.92
14	8.92	8.92	8.92
15	8.92	8.92	8.92
16	8.92	8.92	8.92
17	8.92	8.92	8.92
18	8.92	8.92	8.92
19	8.92	8.92	8.92
20	8.92	8.92	8.92
21	7.23	7.23	7.23
22	5.42	5.42	5.42
23	5.42	5.42	5.42
24	5.42	5.42	5.42
25	5.42	5.42	5.42
26	5.42	5.42	5.42
27	5.42	5.42	5.42
28	5.42	5.42	5.42
29	5.42	5.42	5.42
30	5.42	5.42	5.42
31	5.42	5.42	5.42
32	5.42	5.42	5.42
33	5.42	5.42	5.42
34	5.42	5.42	5.42
35	5.42	5.42	5.42
36	3.61	3.61	3.61
37	3.61	3.61	3.61
38	3.61	3.61	3.61
39	3.61	3.61	3.61
40	3.61	3.61	3.61
41	3.61	3.61	3.61
42	3.61	3.61	3.61
43	3.61	3.61	3.61
44	3.61	3.61	3.61
45	3.61	3.61	3.61
46	3.61	3.61	3.61
47	1.81	1.81	1.81
48	1.81	1.81	1.81
49	1.81	1.81	1.81
50	1.81	1.81	1.81

51	1.81	1.81	1.81
52	1.81	1.81	1.81
53	1.81	1.81	1.81
54	1.81	1.81	1.81
55	1.81	1.81	1.81
56	1.81	1.81	1.81
57	1.81	1.81	1.81
58	1.81	1.81	1.81
59	1.81	1.81	1.81
60	1.81	1.81	1.81
61	1.81	1.81	1.81
62	1.81	1.81	1.81
63	1.81	1.81	1.81
64	0.00	0.00	0.00
65	0.00	0.00	0.00
66	0.00	0.00	0.00
67	0.00	0.00	0.00
68	0.00	0.00	0.00
69	0.00	0.00	0.00
70	0.00	0.00	0.00
71	0.00	0.00	0.00
72	0.00	0.00	0.00
73	0.00	0.00	0.00
74	0.00	0.00	0.00
75	0.00	0.00	0.00
76	0.00	0.00	0.00
77	0.00	0.00	0.00
78	0.00	0.00	0.00
79	0.00	0.00	0.00
80	0.00	0.00	0.00
81	0.00	0.00	0.00
82	0.00	0.00	0.00
83	0.00	0.00	0.00
84	0.00	0.00	0.00
85	0.00	0.00	0.00
86	0.00	0.00	0.00
87	0.00	0.00	0.00
88	0.00	0.00	0.00
89	0.00	0.00	0.00
90	0.00	0.00	0.00
91	0.00	0.00	0.00
92	0.00	0.00	0.00
93	0.00	0.00	0.00
94	0.00	0.00	0.00
95	0.00	0.00	0.00
96	0.00	0.00	0.00
97	0.00	0.00	0.00
98	0.00	0.00	0.00
99	0.00	0.00	0.00
100	0.00	0.00	0.00

CO2吸収量表

地区名:佐野 樹種:サクラ類

林齢	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.65	0.65	0.65
2	2.06	2.06	2.06
3	3.38	3.38	3.38
4	4.55	4.55	4.55
5	5.56	5.56	5.56
6	10.09	10.09	10.09
7	10.09	10.09	10.09
8	10.09	10.09	10.09
9	10.09	10.09	10.09
10	8.07	8.07	8.07
11	8.07	8.07	8.07
12	8.07	8.07	8.07
13	8.07	8.07	8.07
14	8.07	8.07	8.07
15	8.07	8.07	8.07
16	8.07	8.07	8.07
17	8.07	8.07	8.07
18	8.07	8.07	8.07
19	8.07	8.07	8.07
20	8.07	8.07	8.07
21	7.26	7.26	7.26
22	5.45	5.45	5.45
23	5.45	5.45	5.45
24	5.45	5.45	5.45
25	5.45	5.45	5.45
26	5.45	5.45	5.45
27	5.45	5.45	5.45
28	5.45	5.45	5.45
29	5.45	5.45	5.45
30	5.45	5.45	5.45
31	5.45	5.45	5.45
32	5.45	5.45	5.45
33	5.45	5.45	5.45
34	5.45	5.45	5.45
35	5.45	5.45	5.45
36	3.63	3.63	3.63
37	3.63	3.63	3.63
38	3.63	3.63	3.63
39	3.63	3.63	3.63
40	3.63	3.63	3.63
41	3.63	3.63	3.63
42	3.63	3.63	3.63
43	3.63	3.63	3.63
44	3.63	3.63	3.63
45	3.63	3.63	3.63
46	3.63	3.63	3.63
47	1.82	1.82	1.82
48	1.82	1.82	1.82
49	1.82	1.82	1.82
50	1.82	1.82	1.82

51	1.82	1.82	1.82
52	1.82	1.82	1.82
53	1.82	1.82	1.82
54	1.82	1.82	1.82
55	1.82	1.82	1.82
56	1.82	1.82	1.82
57	1.82	1.82	1.82
58	1.82	1.82	1.82
59	1.82	1.82	1.82
60	1.82	1.82	1.82
61	1.82	1.82	1.82
62	1.82	1.82	1.82
63	1.82	1.82	1.82
64	0.00	0.00	0.00
65	0.00	0.00	0.00
66	0.00	0.00	0.00
67	0.00	0.00	0.00
68	0.00	0.00	0.00
69	0.00	0.00	0.00
70	0.00	0.00	0.00
71	0.00	0.00	0.00
72	0.00	0.00	0.00
73	0.00	0.00	0.00
74	0.00	0.00	0.00
75	0.00	0.00	0.00
76	0.00	0.00	0.00
77	0.00	0.00	0.00
78	0.00	0.00	0.00
79	0.00	0.00	0.00
80	0.00	0.00	0.00
81	0.00	0.00	0.00
82	0.00	0.00	0.00
83	0.00	0.00	0.00
84	0.00	0.00	0.00
85	0.00	0.00	0.00
86	0.00	0.00	0.00
87	0.00	0.00	0.00
88	0.00	0.00	0.00
89	0.00	0.00	0.00
90	0.00	0.00	0.00
91	0.00	0.00	0.00
92	0.00	0.00	0.00
93	0.00	0.00	0.00
94	0.00	0.00	0.00
95	0.00	0.00	0.00
96	0.00	0.00	0.00
97	0.00	0.00	0.00
98	0.00	0.00	0.00
99	0.00	0.00	0.00
100	0.00	0.00	0.00

CO2吸収量表

地区名:佐野 樹種:その他広葉樹

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.65	0.65	0.65
2	2.06	2.06	2.06
3	3.38	3.38	3.38
4	4.55	4.55	4.55
5	5.56	5.56	5.56
6	10.09	10.09	10.09
7	10.09	10.09	10.09
8	10.09	10.09	10.09
9	10.09	10.09	10.09
10	8.07	8.07	8.07
11	8.07	8.07	8.07
12	8.07	8.07	8.07
13	8.07	8.07	8.07
14	8.07	8.07	8.07
15	8.07	8.07	8.07
16	8.07	8.07	8.07
17	8.07	8.07	8.07
18	8.07	8.07	8.07
19	8.07	8.07	8.07
20	8.07	8.07	8.07
21	7.26	7.26	7.26
22	5.45	5.45	5.45
23	5.45	5.45	5.45
24	5.45	5.45	5.45
25	5.45	5.45	5.45
26	5.45	5.45	5.45
27	5.45	5.45	5.45
28	5.45	5.45	5.45
29	5.45	5.45	5.45
30	5.45	5.45	5.45
31	5.45	5.45	5.45
32	5.45	5.45	5.45
33	5.45	5.45	5.45
34	5.45	5.45	5.45
35	5.45	5.45	5.45
36	3.63	3.63	3.63
37	3.63	3.63	3.63
38	3.63	3.63	3.63
39	3.63	3.63	3.63
40	3.63	3.63	3.63
41	3.63	3.63	3.63
42	3.63	3.63	3.63
43	3.63	3.63	3.63
44	3.63	3.63	3.63
45	3.63	3.63	3.63
46	3.63	3.63	3.63
47	1.82	1.82	1.82
48	1.82	1.82	1.82
49	1.82	1.82	1.82
50	1.82	1.82	1.82

51	1.82	1.82	1.82
52	1.82	1.82	1.82
53	1.82	1.82	1.82
54	1.82	1.82	1.82
55	1.82	1.82	1.82
56	1.82	1.82	1.82
57	1.82	1.82	1.82
58	1.82	1.82	1.82
59	1.82	1.82	1.82
60	1.82	1.82	1.82
61	1.82	1.82	1.82
62	1.82	1.82	1.82
63	1.82	1.82	1.82
64	0.00	0.00	0.00
65	0.00	0.00	0.00
66	0.00	0.00	0.00
67	0.00	0.00	0.00
68	0.00	0.00	0.00
69	0.00	0.00	0.00
70	0.00	0.00	0.00
71	0.00	0.00	0.00
72	0.00	0.00	0.00
73	0.00	0.00	0.00
74	0.00	0.00	0.00
75	0.00	0.00	0.00
76	0.00	0.00	0.00
77	0.00	0.00	0.00
78	0.00	0.00	0.00
79	0.00	0.00	0.00
80	0.00	0.00	0.00
81	0.00	0.00	0.00
82	0.00	0.00	0.00
83	0.00	0.00	0.00
84	0.00	0.00	0.00
85	0.00	0.00	0.00
86	0.00	0.00	0.00
87	0.00	0.00	0.00
88	0.00	0.00	0.00
89	0.00	0.00	0.00
90	0.00	0.00	0.00
91	0.00	0.00	0.00
92	0.00	0.00	0.00
93	0.00	0.00	0.00
94	0.00	0.00	0.00
95	0.00	0.00	0.00
96	0.00	0.00	0.00
97	0.00	0.00	0.00
98	0.00	0.00	0.00
99	0.00	0.00	0.00
100	0.00	0.00	0.00

CO2吸収量表

地区名: 佐野 樹種: アカシデ - イヌシデ林

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.65	0.65	0.65
2	2.06	2.06	2.06
3	3.38	3.38	3.38
4	4.55	4.55	4.55
5	5.56	5.56	5.56
6	10.09	10.09	10.09
7	10.09	10.09	10.09
8	10.09	10.09	10.09
9	10.09	10.09	10.09
10	8.07	8.07	8.07
11	8.07	8.07	8.07
12	8.07	8.07	8.07
13	8.07	8.07	8.07
14	8.07	8.07	8.07
15	8.07	8.07	8.07
16	8.07	8.07	8.07
17	8.07	8.07	8.07
18	8.07	8.07	8.07
19	8.07	8.07	8.07
20	8.07	8.07	8.07
21	7.26	7.26	7.26
22	5.45	5.45	5.45
23	5.45	5.45	5.45
24	5.45	5.45	5.45
25	5.45	5.45	5.45
26	5.45	5.45	5.45
27	5.45	5.45	5.45
28	5.45	5.45	5.45
29	5.45	5.45	5.45
30	5.45	5.45	5.45
31	5.45	5.45	5.45
32	5.45	5.45	5.45
33	5.45	5.45	5.45
34	5.45	5.45	5.45
35	5.45	5.45	5.45
36	3.63	3.63	3.63
37	3.63	3.63	3.63
38	3.63	3.63	3.63
39	3.63	3.63	3.63
40	3.63	3.63	3.63
41	3.63	3.63	3.63
42	3.63	3.63	3.63
43	3.63	3.63	3.63
44	3.63	3.63	3.63
45	3.63	3.63	3.63
46	3.63	3.63	3.63
47	1.82	1.82	1.82
48	1.82	1.82	1.82
49	1.82	1.82	1.82
50	1.82	1.82	1.82

51	1.82	1.82	1.82
52	1.82	1.82	1.82
53	1.82	1.82	1.82
54	1.82	1.82	1.82
55	1.82	1.82	1.82
56	1.82	1.82	1.82
57	1.82	1.82	1.82
58	1.82	1.82	1.82
59	1.82	1.82	1.82
60	1.82	1.82	1.82
61	1.82	1.82	1.82
62	1.82	1.82	1.82
63	1.82	1.82	1.82
64	0.00	0.00	0.00
65	0.00	0.00	0.00
66	0.00	0.00	0.00
67	0.00	0.00	0.00
68	0.00	0.00	0.00
69	0.00	0.00	0.00
70	0.00	0.00	0.00
71	0.00	0.00	0.00
72	0.00	0.00	0.00
73	0.00	0.00	0.00
74	0.00	0.00	0.00
75	0.00	0.00	0.00
76	0.00	0.00	0.00
77	0.00	0.00	0.00
78	0.00	0.00	0.00
79	0.00	0.00	0.00
80	0.00	0.00	0.00
81	0.00	0.00	0.00
82	0.00	0.00	0.00
83	0.00	0.00	0.00
84	0.00	0.00	0.00
85	0.00	0.00	0.00
86	0.00	0.00	0.00
87	0.00	0.00	0.00
88	0.00	0.00	0.00
89	0.00	0.00	0.00
90	0.00	0.00	0.00
91	0.00	0.00	0.00
92	0.00	0.00	0.00
93	0.00	0.00	0.00
94	0.00	0.00	0.00
95	0.00	0.00	0.00
96	0.00	0.00	0.00
97	0.00	0.00	0.00
98	0.00	0.00	0.00
99	0.00	0.00	0.00
100	0.00	0.00	0.00

CO2吸収量表

地区名:佐野 樹種:クリ - ミズナラ林

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.94	0.94	0.94
2	2.70	2.70	2.70
3	4.15	4.15	4.15
4	5.32	5.32	5.32
5	6.23	6.23	6.23
6	8.26	8.26	8.26
7	8.26	8.26	8.26
8	7.43	7.43	7.43
9	7.43	7.43	7.43
10	6.61	6.61	6.61
11	6.61	6.61	6.61
12	6.61	6.61	6.61
13	6.61	6.61	6.61
14	6.61	6.61	6.61
15	6.61	6.61	6.61
16	6.61	6.61	6.61
17	6.61	6.61	6.61
18	6.61	6.61	6.61
19	6.61	6.61	6.61
20	5.78	5.78	5.78
21	5.15	5.15	5.15
22	4.41	4.41	4.41
23	4.41	4.41	4.41
24	4.41	4.41	4.41
25	4.41	4.41	4.41
26	4.41	4.41	4.41
27	4.41	4.41	4.41
28	4.41	4.41	4.41
29	4.41	4.41	4.41
30	4.41	4.41	4.41
31	4.41	4.41	4.41
32	4.41	4.41	4.41
33	4.41	4.41	4.41
34	3.68	3.68	3.68
35	3.68	3.68	3.68
36	2.94	2.94	2.94
37	2.94	2.94	2.94
38	2.94	2.94	2.94
39	2.94	2.94	2.94
40	2.21	2.21	2.21
41	2.21	2.21	2.21
42	2.21	2.21	2.21
43	2.21	2.21	2.21
44	2.21	2.21	2.21
45	2.21	2.21	2.21
46	2.21	2.21	2.21
47	1.47	1.47	1.47
48	1.47	1.47	1.47
49	1.47	1.47	1.47
50	1.47	1.47	1.47

51	1.29	1.29	1.29
52	1.26	1.26	1.26
53	1.23	1.23	1.23
54	1.20	1.20	1.20
55	1.17	1.17	1.17
56	1.14	1.14	1.14
57	1.12	1.12	1.12
58	1.10	1.10	1.10
59	1.07	1.07	1.07
60	1.05	1.05	1.05
61	1.03	1.03	1.03
62	1.02	1.02	1.02
63	1.00	1.00	1.00
64	0.25	0.25	0.25
65	0.23	0.23	0.23
66	0.22	0.22	0.22
67	0.20	0.20	0.20
68	0.19	0.19	0.19
69	0.18	0.18	0.18
70	0.17	0.17	0.17
71	0.16	0.16	0.16
72	0.15	0.15	0.15
73	0.14	0.14	0.14
74	0.13	0.13	0.13
75	0.12	0.12	0.12
76	0.12	0.12	0.12
77	0.11	0.11	0.11
78	0.10	0.10	0.10
79	0.10	0.10	0.10
80	0.09	0.09	0.09
81	0.08	0.08	0.08
82	0.08	0.08	0.08
83	0.07	0.07	0.07
84	0.07	0.07	0.07
85	0.07	0.07	0.07
86	0.06	0.06	0.06
87	0.06	0.06	0.06
88	0.05	0.05	0.05
89	0.05	0.05	0.05
90	0.05	0.05	0.05
91	0.04	0.04	0.04
92	0.04	0.04	0.04
93	0.04	0.04	0.04
94	0.04	0.04	0.04
95	0.03	0.03	0.03
96	0.03	0.03	0.03
97	0.03	0.03	0.03
98	0.03	0.03	0.03
99	0.03	0.03	0.03
100	0.03	0.03	0.03

CO2吸収量表

地区名: 佐野 樹種: ブナ - ミズナラ林

林齢	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	1.18	1.18	1.18
2	3.37	3.37	3.37
3	5.18	5.18	5.18
4	6.64	6.64	6.64
5	7.78	7.78	7.78
6	10.31	10.31	10.31
7	10.31	10.31	10.31
8	9.28	9.28	9.28
9	9.28	9.28	9.28
10	8.25	8.25	8.25
11	8.25	8.25	8.25
12	8.25	8.25	8.25
13	8.25	8.25	8.25
14	8.25	8.25	8.25
15	8.25	8.25	8.25
16	8.25	8.25	8.25
17	8.25	8.25	8.25
18	8.25	8.25	8.25
19	8.25	8.25	8.25
20	7.22	7.22	7.22
21	6.25	6.25	6.25
22	5.35	5.35	5.35
23	5.35	5.35	5.35
24	5.35	5.35	5.35
25	5.35	5.35	5.35
26	5.35	5.35	5.35
27	5.35	5.35	5.35
28	5.35	5.35	5.35
29	5.35	5.35	5.35
30	5.35	5.35	5.35
31	5.35	5.35	5.35
32	5.35	5.35	5.35
33	5.35	5.35	5.35
34	4.46	4.46	4.46
35	4.46	4.46	4.46
36	3.57	3.57	3.57
37	3.57	3.57	3.57
38	3.57	3.57	3.57
39	3.57	3.57	3.57
40	2.68	2.68	2.68
41	2.68	2.68	2.68
42	2.68	2.68	2.68
43	2.68	2.68	2.68
44	2.68	2.68	2.68
45	2.68	2.68	2.68
46	2.68	2.68	2.68
47	1.78	1.78	1.78
48	1.78	1.78	1.78
49	1.78	1.78	1.78
50	1.78	1.78	1.78

51	1.57	1.57	1.57
52	1.53	1.53	1.53
53	1.49	1.49	1.49
54	1.45	1.45	1.45
55	1.42	1.42	1.42
56	1.39	1.39	1.39
57	1.36	1.36	1.36
58	1.33	1.33	1.33
59	1.30	1.30	1.30
60	1.28	1.28	1.28
61	1.25	1.25	1.25
62	1.23	1.23	1.23
63	1.21	1.21	1.21
64	0.30	0.30	0.30
65	0.28	0.28	0.28
66	0.26	0.26	0.26
67	0.25	0.25	0.25
68	0.23	0.23	0.23
69	0.22	0.22	0.22
70	0.21	0.21	0.21
71	0.19	0.19	0.19
72	0.18	0.18	0.18
73	0.17	0.17	0.17
74	0.16	0.16	0.16
75	0.15	0.15	0.15
76	0.14	0.14	0.14
77	0.13	0.13	0.13
78	0.12	0.12	0.12
79	0.12	0.12	0.12
80	0.11	0.11	0.11
81	0.10	0.10	0.10
82	0.10	0.10	0.10
83	0.09	0.09	0.09
84	0.08	0.08	0.08
85	0.08	0.08	0.08
86	0.07	0.07	0.07
87	0.07	0.07	0.07
88	0.07	0.07	0.07
89	0.06	0.06	0.06
90	0.06	0.06	0.06
91	0.05	0.05	0.05
92	0.05	0.05	0.05
93	0.05	0.05	0.05
94	0.04	0.04	0.04
95	0.04	0.04	0.04
96	0.04	0.04	0.04
97	0.04	0.04	0.04
98	0.03	0.03	0.03
99	0.03	0.03	0.03
100	0.03	0.03	0.03

CO2吸収量表

地区名:佐野 樹種:アカマツ - ヤマツツジ林

林齢	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.41	0.36	0.35
2	1.46	1.27	1.24
3	2.64	2.28	2.26
4	3.83	3.32	3.30
5	4.98	4.33	4.32
6	7.79	7.02	7.01
7	8.46	7.58	7.56
8	9.10	8.13	8.08
9	9.70	8.66	8.56
10	9.32	8.20	8.04
11	13.22	10.39	8.50
12	13.22	11.33	8.50
13	13.22	11.33	8.50
14	13.22	10.39	7.56
15	12.28	10.39	8.50
16	12.28	10.39	7.56
17	12.28	10.39	8.50
18	12.28	10.39	7.56
19	12.28	12.28	8.50
20	12.28	10.39	8.50
21	10.10	9.32	6.21
22	9.32	7.77	5.44
23	9.32	7.77	6.21
24	9.32	7.77	5.44
25	8.54	6.99	5.44
26	8.54	7.77	5.44
27	8.54	7.77	6.21
28	8.54	7.77	5.44
29	8.54	6.99	6.21
30	8.54	7.77	5.44
31	8.54	6.99	5.44
32	7.77	6.99	5.44
33	8.54	6.99	5.44
34	6.99	6.99	5.44
35	7.77	6.21	4.66
36	6.99	6.21	4.66
37	6.99	4.66	3.88
38	6.21	5.44	4.66
39	6.21	5.44	4.66
40	6.21	5.44	3.88
41	6.21	4.66	3.88
42	6.21	5.44	4.66
43	5.44	4.66	3.88
44	5.44	4.66	3.88
45	5.44	5.44	3.88
46	5.44	4.66	3.88
47	4.66	3.88	3.11
48	4.66	3.88	3.11
49	4.66	3.88	3.11
50	3.88	3.88	2.33

51	3.88	3.88	2.33
52	3.88	3.11	3.11
53	3.88	3.11	3.11
54	3.88	3.11	2.33
55	3.88	3.11	3.11
56	3.88	3.11	2.33
57	3.88	3.11	3.11
58	3.88	3.11	2.33
59	3.88	3.11	2.33
60	3.88	3.11	3.11
61	3.88	3.11	2.33
62	3.88	3.11	2.33
63	3.88	3.11	2.33
64	2.33	2.33	1.55
65	2.33	1.55	1.55
66	2.33	1.55	0.78
67	2.33	1.55	0.78
68	2.33	1.55	0.78
69	1.55	1.55	0.78
70	1.55	1.55	0.78
71	1.55	1.55	0.78
72	1.55	0.78	0.78
73	1.55	0.78	0.78
74	1.55	0.78	0.78
75	1.55	0.78	0.78
76	1.55	0.78	0.78
77	1.55	0.78	0.78
78	1.55	0.78	0.00
79	1.55	0.78	0.00
80	1.55	0.78	0.00
81	1.55	0.78	0.00
82	1.55	0.78	0.00
83	1.55	0.78	0.00
84	1.55	0.78	0.00
85	1.55	0.78	0.00
86	1.55	0.78	0.00
87	0.78	0.78	0.00
88	0.78	0.78	0.00
89	0.78	0.78	0.00
90	0.78	0.78	0.00
91	0.78	0.78	0.00
92	0.78	0.78	0.00
93	0.78	0.00	0.00
94	0.78	0.00	0.00
95	0.78	0.00	0.00
96	0.78	0.00	0.00
97	0.78	0.00	0.00
98	0.78	0.00	0.00
99	0.78	0.00	0.00
100	0.78	0.00	0.00

CO2吸収量表

地区名:佐野 樹種:クヌギ - コナラ林

林齢	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	1.69	1.69	1.69
2	4.62	4.62	4.62
3	6.90	6.90	6.90
4	8.62	8.62	8.62
5	9.86	9.86	9.86
6	10.30	10.30	10.30
7	10.30	10.30	10.30
8	8.24	8.24	8.24
9	8.24	8.24	8.24
10	8.24	8.24	8.24
11	8.24	8.24	8.24
12	8.24	8.24	8.24
13	8.24	8.24	8.24
14	8.24	8.24	8.24
15	8.24	8.24	8.24
16	8.24	8.24	8.24
17	8.24	8.24	8.24
18	8.24	8.24	8.24
19	8.24	8.24	8.24
20	6.18	6.18	6.18
21	5.78	5.78	5.78
22	5.78	5.78	5.78
23	5.78	5.78	5.78
24	5.78	5.78	5.78
25	5.78	5.78	5.78
26	5.78	5.78	5.78
27	5.78	5.78	5.78
28	5.78	5.78	5.78
29	5.78	5.78	5.78
30	5.78	5.78	5.78
31	5.78	5.78	5.78
32	5.78	5.78	5.78
33	5.78	5.78	5.78
34	3.85	3.85	3.85
35	3.85	3.85	3.85
36	3.85	3.85	3.85
37	3.85	3.85	3.85
38	3.85	3.85	3.85
39	3.85	3.85	3.85
40	1.93	1.93	1.93
41	1.93	1.93	1.93
42	1.93	1.93	1.93
43	1.93	1.93	1.93
44	1.93	1.93	1.93
45	1.93	1.93	1.93
46	1.93	1.93	1.93
47	1.93	1.93	1.93
48	1.93	1.93	1.93
49	1.93	1.93	1.93
50	1.93	1.93	1.93

51	1.45	1.45	1.45
52	1.37	1.37	1.37
53	1.28	1.28	1.28
54	1.21	1.21	1.21
55	1.13	1.13	1.13
56	1.07	1.07	1.07
57	1.00	1.00	1.00
58	0.94	0.94	0.94
59	0.89	0.89	0.89
60	0.83	0.83	0.83
61	0.78	0.78	0.78
62	0.73	0.73	0.73
63	0.69	0.69	0.69
64	0.65	0.65	0.65
65	0.61	0.61	0.61
66	0.57	0.57	0.57
67	0.54	0.54	0.54
68	0.50	0.50	0.50
69	0.47	0.47	0.47
70	0.44	0.44	0.44
71	0.42	0.42	0.42
72	0.39	0.39	0.39
73	0.37	0.37	0.37
74	0.34	0.34	0.34
75	0.32	0.32	0.32
76	0.30	0.30	0.30
77	0.28	0.28	0.28
78	0.27	0.27	0.27
79	0.25	0.25	0.25
80	0.24	0.24	0.24
81	0.22	0.22	0.22
82	0.21	0.21	0.21
83	0.19	0.19	0.19
84	0.18	0.18	0.18
85	0.17	0.17	0.17
86	0.16	0.16	0.16
87	0.15	0.15	0.15
88	0.14	0.14	0.14
89	0.13	0.13	0.13
90	0.12	0.12	0.12
91	0.12	0.12	0.12
92	0.11	0.11	0.11
93	0.10	0.10	0.10
94	0.10	0.10	0.10
95	0.09	0.09	0.09
96	0.08	0.08	0.08
97	0.08	0.08	0.08
98	0.07	0.07	0.07
99	0.07	0.07	0.07
100	0.07	0.07	0.07

CO2吸収量表

地区名:佐野 樹種:クリ - コナラ林

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.94	0.94	0.94
2	2.70	2.70	2.70
3	4.15	4.15	4.15
4	5.32	5.32	5.32
5	6.23	6.23	6.23
6	8.26	8.26	8.26
7	8.26	8.26	8.26
8	7.43	7.43	7.43
9	7.43	7.43	7.43
10	6.61	6.61	6.61
11	6.61	6.61	6.61
12	6.61	6.61	6.61
13	6.61	6.61	6.61
14	6.61	6.61	6.61
15	6.61	6.61	6.61
16	6.61	6.61	6.61
17	6.61	6.61	6.61
18	6.61	6.61	6.61
19	6.61	6.61	6.61
20	5.78	5.78	5.78
21	5.15	5.15	5.15
22	4.41	4.41	4.41
23	4.41	4.41	4.41
24	4.41	4.41	4.41
25	4.41	4.41	4.41
26	4.41	4.41	4.41
27	4.41	4.41	4.41
28	4.41	4.41	4.41
29	4.41	4.41	4.41
30	4.41	4.41	4.41
31	4.41	4.41	4.41
32	4.41	4.41	4.41
33	4.41	4.41	4.41
34	3.68	3.68	3.68
35	3.68	3.68	3.68
36	2.94	2.94	2.94
37	2.94	2.94	2.94
38	2.94	2.94	2.94
39	2.94	2.94	2.94
40	2.21	2.21	2.21
41	2.21	2.21	2.21
42	2.21	2.21	2.21
43	2.21	2.21	2.21
44	2.21	2.21	2.21
45	2.21	2.21	2.21
46	2.21	2.21	2.21
47	1.47	1.47	1.47
48	1.47	1.47	1.47
49	1.47	1.47	1.47
50	1.47	1.47	1.47

51	1.29	1.29	1.29
52	1.26	1.26	1.26
53	1.23	1.23	1.23
54	1.20	1.20	1.20
55	1.17	1.17	1.17
56	1.14	1.14	1.14
57	1.12	1.12	1.12
58	1.10	1.10	1.10
59	1.07	1.07	1.07
60	1.05	1.05	1.05
61	1.03	1.03	1.03
62	1.02	1.02	1.02
63	1.00	1.00	1.00
64	0.25	0.25	0.25
65	0.23	0.23	0.23
66	0.22	0.22	0.22
67	0.20	0.20	0.20
68	0.19	0.19	0.19
69	0.18	0.18	0.18
70	0.17	0.17	0.17
71	0.16	0.16	0.16
72	0.15	0.15	0.15
73	0.14	0.14	0.14
74	0.13	0.13	0.13
75	0.12	0.12	0.12
76	0.12	0.12	0.12
77	0.11	0.11	0.11
78	0.10	0.10	0.10
79	0.10	0.10	0.10
80	0.09	0.09	0.09
81	0.08	0.08	0.08
82	0.08	0.08	0.08
83	0.07	0.07	0.07
84	0.07	0.07	0.07
85	0.07	0.07	0.07
86	0.06	0.06	0.06
87	0.06	0.06	0.06
88	0.05	0.05	0.05
89	0.05	0.05	0.05
90	0.05	0.05	0.05
91	0.04	0.04	0.04
92	0.04	0.04	0.04
93	0.04	0.04	0.04
94	0.04	0.04	0.04
95	0.03	0.03	0.03
96	0.03	0.03	0.03
97	0.03	0.03	0.03
98	0.03	0.03	0.03
99	0.03	0.03	0.03
100	0.03	0.03	0.03

CO2吸収量表

地区名:佐野 樹種:カスミザクラ - コナラ林

林齢	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	1.15	1.15	1.15
2	3.29	3.29	3.29
3	5.07	5.07	5.07
4	6.50	6.50	6.50
5	7.61	7.61	7.61
6	10.09	10.09	10.09
7	10.09	10.09	10.09
8	9.08	9.08	9.08
9	9.08	9.08	9.08
10	8.07	8.07	8.07
11	8.07	8.07	8.07
12	8.07	8.07	8.07
13	8.07	8.07	8.07
14	8.07	8.07	8.07
15	8.07	8.07	8.07
16	8.07	8.07	8.07
17	8.07	8.07	8.07
18	8.07	8.07	8.07
19	8.07	8.07	8.07
20	7.06	7.06	7.06
21	6.36	6.36	6.36
22	5.45	5.45	5.45
23	5.45	5.45	5.45
24	5.45	5.45	5.45
25	5.45	5.45	5.45
26	5.45	5.45	5.45
27	5.45	5.45	5.45
28	5.45	5.45	5.45
29	5.45	5.45	5.45
30	5.45	5.45	5.45
31	5.45	5.45	5.45
32	5.45	5.45	5.45
33	5.45	5.45	5.45
34	4.54	4.54	4.54
35	4.54	4.54	4.54
36	3.63	3.63	3.63
37	3.63	3.63	3.63
38	3.63	3.63	3.63
39	3.63	3.63	3.63
40	2.72	2.72	2.72
41	2.72	2.72	2.72
42	2.72	2.72	2.72
43	2.72	2.72	2.72
44	2.72	2.72	2.72
45	2.72	2.72	2.72
46	2.72	2.72	2.72
47	1.82	1.82	1.82
48	1.82	1.82	1.82
49	1.82	1.82	1.82
50	1.82	1.82	1.82

51	1.59	1.59	1.59
52	1.55	1.55	1.55
53	1.51	1.51	1.51
54	1.48	1.48	1.48
55	1.44	1.44	1.44
56	1.41	1.41	1.41
57	1.38	1.38	1.38
58	1.35	1.35	1.35
59	1.33	1.33	1.33
60	1.30	1.30	1.30
61	1.28	1.28	1.28
62	1.25	1.25	1.25
63	1.23	1.23	1.23
64	0.31	0.31	0.31
65	0.29	0.29	0.29
66	0.27	0.27	0.27
67	0.25	0.25	0.25
68	0.24	0.24	0.24
69	0.22	0.22	0.22
70	0.21	0.21	0.21
71	0.20	0.20	0.20
72	0.18	0.18	0.18
73	0.17	0.17	0.17
74	0.16	0.16	0.16
75	0.15	0.15	0.15
76	0.14	0.14	0.14
77	0.13	0.13	0.13
78	0.13	0.13	0.13
79	0.12	0.12	0.12
80	0.11	0.11	0.11
81	0.10	0.10	0.10
82	0.10	0.10	0.10
83	0.09	0.09	0.09
84	0.09	0.09	0.09
85	0.08	0.08	0.08
86	0.08	0.08	0.08
87	0.07	0.07	0.07
88	0.07	0.07	0.07
89	0.06	0.06	0.06
90	0.06	0.06	0.06
91	0.06	0.06	0.06
92	0.05	0.05	0.05
93	0.05	0.05	0.05
94	0.05	0.05	0.05
95	0.04	0.04	0.04
96	0.04	0.04	0.04
97	0.04	0.04	0.04
98	0.04	0.04	0.04
99	0.03	0.03	0.03
100	0.03	0.03	0.03

CO2吸収量表

地区名:佐野 樹種:シイ - カシ林

林齡	CO2吸収量 (t-CO2/年・ha)		
	地位	地位	地位
1	0.65	0.65	0.65
2	2.06	2.06	2.06
3	3.38	3.38	3.38
4	4.55	4.55	4.55
5	5.56	5.56	5.56
6	10.09	10.09	10.09
7	10.09	10.09	10.09
8	10.09	10.09	10.09
9	10.09	10.09	10.09
10	8.07	8.07	8.07
11	8.07	8.07	8.07
12	8.07	8.07	8.07
13	8.07	8.07	8.07
14	8.07	8.07	8.07
15	8.07	8.07	8.07
16	8.07	8.07	8.07
17	8.07	8.07	8.07
18	8.07	8.07	8.07
19	8.07	8.07	8.07
20	8.07	8.07	8.07
21	7.26	7.26	7.26
22	5.45	5.45	5.45
23	5.45	5.45	5.45
24	5.45	5.45	5.45
25	5.45	5.45	5.45
26	5.45	5.45	5.45
27	5.45	5.45	5.45
28	5.45	5.45	5.45
29	5.45	5.45	5.45
30	5.45	5.45	5.45
31	5.45	5.45	5.45
32	5.45	5.45	5.45
33	5.45	5.45	5.45
34	5.45	5.45	5.45
35	5.45	5.45	5.45
36	3.63	3.63	3.63
37	3.63	3.63	3.63
38	3.63	3.63	3.63
39	3.63	3.63	3.63
40	3.63	3.63	3.63
41	3.63	3.63	3.63
42	3.63	3.63	3.63
43	3.63	3.63	3.63
44	3.63	3.63	3.63
45	3.63	3.63	3.63
46	3.63	3.63	3.63
47	1.82	1.82	1.82
48	1.82	1.82	1.82
49	1.82	1.82	1.82
50	1.82	1.82	1.82

51	1.82	1.82	1.82
52	1.82	1.82	1.82
53	1.82	1.82	1.82
54	1.82	1.82	1.82
55	1.82	1.82	1.82
56	1.82	1.82	1.82
57	1.82	1.82	1.82
58	1.82	1.82	1.82
59	1.82	1.82	1.82
60	1.82	1.82	1.82
61	1.82	1.82	1.82
62	1.82	1.82	1.82
63	1.82	1.82	1.82
64	0.00	0.00	0.00
65	0.00	0.00	0.00
66	0.00	0.00	0.00
67	0.00	0.00	0.00
68	0.00	0.00	0.00
69	0.00	0.00	0.00
70	0.00	0.00	0.00
71	0.00	0.00	0.00
72	0.00	0.00	0.00
73	0.00	0.00	0.00
74	0.00	0.00	0.00
75	0.00	0.00	0.00
76	0.00	0.00	0.00
77	0.00	0.00	0.00
78	0.00	0.00	0.00
79	0.00	0.00	0.00
80	0.00	0.00	0.00
81	0.00	0.00	0.00
82	0.00	0.00	0.00
83	0.00	0.00	0.00
84	0.00	0.00	0.00
85	0.00	0.00	0.00
86	0.00	0.00	0.00
87	0.00	0.00	0.00
88	0.00	0.00	0.00
89	0.00	0.00	0.00
90	0.00	0.00	0.00
91	0.00	0.00	0.00
92	0.00	0.00	0.00
93	0.00	0.00	0.00
94	0.00	0.00	0.00
95	0.00	0.00	0.00
96	0.00	0.00	0.00
97	0.00	0.00	0.00
98	0.00	0.00	0.00
99	0.00	0.00	0.00
100	0.00	0.00	0.00